

# Paving Clay Pave Equivalent




# Paving


## Paving Patterns

The below paving patterns can be used with AdraPAVE (200x100x40mm) or Bevel Line (230x115x50mm)


**Stretcher Bond**




**Stack Bond**




**Herringbone**




**Basketweave**



**Half Basketweave**




**Tracery Flair**




The below paving patterns can be used with CentroPAVE (300x300x40mm), CosmoPAVE (200x200x40mm) or Easy Pave (300x300x50mm).

**Large Format Stack Bond**



**Large Format Stretcher Bond**





# Apex Masonry's Equivalent for Clay Pave

Clay Pave Product	Apex Masonry Equivalent	Apex Masonry Product Details
<b>Regal - 400x400mm</b> 	<b>Leda - 400x400mm</b>  *Pedestrian Only	<b>Features</b>  Compressive Strength rated  40mm Thick  Bevels on four edges <b>Colours</b>  Canyon  Charcoal  Fraser Coral  Ivory  Pebble  Sandstone
<b>Regal - 300x300mm</b> 	<b>Centro - 300x300mm</b>  *Pedestrian Only	<b>Features</b>  Compressive Strength rated  40mm Thick  Bevels on four edges <b>Colours</b>  Canyon  Charcoal  Fraser Coral  Ivory  Pebble  Sandstone
<b>Regal - 230x230mm</b> 	<b>Cosmo - 200x200mm</b>  *Pedestrian Only	<b>Features</b>  Compressive Strength rated  40mm Thick  Bevels on four edges <b>Colours</b>  Canyon  Charcoal  Ivory  Pebble  Sandstone
<b>Regal - 230x115mm</b> 	<b>Adra - 200x100mm</b>  *Pedestrian Only	<b>Features</b>  Compressive Strength rated  40mm Thick  Bevels on four edges <b>Colours</b>  Canyon  Charcoal  Ivory  Pebble  Sandstone
<b>Regal - 300x300mm</b> 	<b>Easy Pave - 300x300mm</b>  *Suitable for Driveways	<b>Features</b>  Compressive Strength rated  50mm Thick  Bevelled Edges <b>Colours</b>  Charcoal
<b>Regal - 230x115mm</b> 	<b>Bevel Line - 230x115mm</b>  *Suitable for Driveways	<b>Features</b>  Compressive Strength rated  50mm Thick  Bevelled Edges <b>Colours</b>  Canyon  Charcoal



TrendStone® Charcoal & LeMode French Pattern Ivory

#### FREE PALLET COLLECTION

For free pallet collection service call 1300 781 620 or lodge a pick up online at [www.apexmasonry.com.au](http://www.apexmasonry.com.au) or drop pallets back to place of purchase.



**P** 1300 781 620

**F** 07 4121 7170

**E** [sales@apexmasonry.com.au](mailto:sales@apexmasonry.com.au)

17 Industrial Avenue  
Maryborough Q 4650

[apexmasonry.com.au](http://apexmasonry.com.au)

TrendStone®, LeMode®, Sierra®, Centro® and Classic Wall® are registered Trademarks.

#### COLOUR VARIATION

Due to the changes in raw material, variation in colour can occur. When ordering your product, order all products of your project together to reduce the possibility of colour variation. We do not guarantee different batches will be the same colour.

#### EFFLORESCENCE

Efflorescence (a salty deposit) is a natural occurrence in masonry products. Efflorescence does not affect the structural integrity of the product and will usually diminish and disappear in the course of time as the product is exposed to the elements. No responsibility will be accepted for the occurrence of efflorescence.

#### CLAIMS

Claims must be reported within 72 hours of delivery. No claims will be accepted once product has been installed. Please contact the store where goods were purchased to report any concerns regarding product delivery or quality.

Minimum order quantities apply to Made to Order colours.